

**DELHI DEVELOPMENT AUTHORITY**  
**E.M.'S OFFICE**

No.EM1 (10)2008/Cir. (Premix) DDA/1481

Dated: 3-04-08


CIRCULAR No. 624

**Sub: Regarding premix carpeting on roads.**

In one of the review meeting, it was observed that different zones are adopting different mode of thickness for premix carpeting on roads. Some of them are using 2 cm. thickness and others are using 2.5 cm.

It has been decided that the premix on roads shall be 2.5cm.Thick close graded mix laid with sensor paver irrespective of the quantity.

This issues with the approval of EM., DDA.

  
(M.S. Nigam)  
Director(Works)

Copy to:

1. All Chief Engineers i/c. CE (QAC, Design, Electrical& HQ), DDA.
2. Chief Vigilance Officer, DDA.
3. Chief Architect, DDA.
4. Chief Accounts Officer, DDA.
5. Director (MM), DDA
6. Project Manager (Flyover) Gr. I & II, DDA
7. Director (Works), DDA
8. Director (Sports), DDA
9. Dy. CAO (Plan), DDA.
10. Hindi Officer for Hindi version.

Copy also forwarded to:

- 1) PS to VC for kind information of the latter.
- 2) PS to EM for kind information of the latter.
- 3) PS to FM for kind information of the latter.

Director(Works)