

DELHI DEVELOPMENT AUTHORITY
ENGINEER MEMBER'S SECRETARIAT

No. EM/3/0001/2021/7/77-O/o EO-II TO EM/5/4

Date 13/07/2021

To

Shri Shamim Akhtar,
Addl. Secretary (UD), GNCTD,
Deptt. of Urban Development,
10th Level, C-Wing,
Delhi Sachivalaya, I.P.Estate
New Delhi-110002.

Sub: Action Plan on Jal Shakti Abhiyan (urban-2021).

Ref: Your office letter No. F16(755)/UD/W/20196/Vol-I/662-668 dated -07/04/2021.

Enclosed please find herewith Action Plan on Jal Shakti Abhiyan-2 (Urban) -2021 by DDA upto 30.09.2021 duly approved by the Vice-Chairman, DDA w.r.t your letter Dated 07.04.2021.

Encl: As above.


(Sham Sunder Garg)
Chief Engineer(HQ)

Copy to:-

1. Spl.Secy to Hon'ble LG, Delhi alongwith a copy of Action Plan please.
2. OSD to VC, DDA alongwith a copy of Action Plan.
3. DD to E.M, DDA alongwith a copy of Action Plan.
4. PC (Hort)., DDA alongwith a copy of Action Plan with the request to strictly adhere to the Action Plan on JSA-2 within time bound manner.
5. Chief Engineers(SZ,NZ,EZ, Rohini Zone, DWK Zone,Project, Sports, alongwith a copy of Action Plan with the request to strictly adhere to the Action Plan on JSA-2 within time bound manner.
6. Director (Works)alongwith a copy of the Action Plan.


Chief Engineer(HQ)

Action plan on Jal Shakti Abhiyan-2 (Urban)-2021 by DDA up to 30/09/2021

S.No.	Activity	Targets	Remarks
1.	Rain Water Harvesting		
i.	Renovation of old RWH structure in building	40 Nos. existing system will be made functional.	503 Nos. of RWH Systems already installed.
ii.	Creation of new RWH structure in building	105 Nos. system will be installed.	Installation of RWH system is mandatory as per UBBL-2016.
iii.	Use of defunct tube well for recharging ground water	60 Nos. parks defunct tube wells will be used for recharging of ground water.	
2.	Plantation	3 Lakhs	
3.	Identification and rejuvenation of water bodies		
	a) Identification	All water bodies pertaining to DDA (approx... 826 Nos.) will be surveyed and action plan/brief document will be submitted. Already 250 Nos. water body surveyed by DDA and Acton plan for 140 Nos. water bodies already submitted	
	b) Rejuvenation	35 Nos. water bodies already rejuvenated, and 09 Nos. will be taken up for rejuvenation	
	c) Cleaning of Water Channels	25 Nos. water bodies channels will be cleaned to catch this year rain fall.	
4.	Reuse of treated wastewater-		
	a) Park's irrigation	Treated water is being used in 272 parks. Decentralized Wastewater Treatment Plants will be installed in additional 50 parks during the period.	
	b) Houses	STP is being installed in the housing now being constructed by DDA. Providing Triple Piping System in the houses which are now being constructed by DDA. However, as per UBBL-2016 dual piping system is mandatory for all the housing building.	
5.	Jal Shakti Park	1 Nos. park will be identified and converted into "Rainwater Harvesting Park "	
6.	IEC activity	Steps will be taken to involve and engage public including RWA through Workshops, Banners, Pamphlets, Hoardings, Wall paintings, Social Media, Tree plantation drives etc. for public awareness to educate people regarding JSA-2	

Sham
13-04-2021
A.E/EO-II to EM

Shyam
13/04/2021
EO-II to EM

[Signature]
CE(HQ), DDA