

DELHI DEVELOPMENT AUTHORITY
ENGINEER MEMBER'S OFFICE.

NO.EM1(10)83/2272

DATED:9.2.90

CIRCULAR NO: 284.

SUB: Use of I.S.I. Marked Items.

As per specifications and conditions appended with P.W.D.7 & P.W.D.8, the various items in use on our works are required to conform with CPWD specification-1977 Vol.I & II. For item not covered under CPWD specification 1977 Vol.I & II the relevant I.S. specification are to be followed or a good practical working specification detailed.

It has been observed that for various items which conforms to I.S. specification for example pipes and sanitary fittings the name of the firm manufacturing the items as per ISI or having ISI certification mark is not printed or embossed on item. It has been decided that henceforth for all the high cost items and items which are not likely to be checked up later, the items should conform with the requirement of the I.S. specification. In other words we should insist upon the name of manufacturer or his trade mark on the product. This applies to pipes also.

Above instructions should meticulously be followed by all Engineers.

V.S. Murti

9/2/90

(V.S. Murti)
Engineer Member.

Copy to:-

1. All Zonal Chief Engineers with 25 spare copies for circulation.
2. CE(QC), DUA, with 10 spare copies.
3. Director(Hort.)-South & North with 10 spare copies.
4. G.M., I.S.B.I. with 5 spare copies.
5. All E.Os & A.Es, E.M. Office.

Engineer Member.

DUA.