Google chrome Settings

Follow below steps before making epayment in Google chrome

Step 1: Copy and Paste URL chrome://flags/ \rightarrow click "Reset All" button and click "Re-Launch" button

▲ Experiments × +		-	•	×
\leftarrow \rightarrow C \bigcirc Chrome chrome://flags		☆	D	:
	Q Search flags			Â
	Experiments 85.0.4183.121			
	WARNING: EXPERIMENTAL FEATURES AHEAD! By enabling these features, you could lose browser data or compromise your security or privacy. Enabled features apply to all users of this browser.			
	Interested in cool new Chrome features? Try our beta channel.			
	Available Unavailable			
	Cookies without SameSite must be secure			
	If enabled, cookies without SameSite restrictions must also be Secure. If a cookie without SameSite restrictions is set without the Secure attribute, it will be rejected. This flag only has an effect if "SameSite by default cookies" is also enabled. – Mac, Windows, Linux, Chrome OS, Android			
	#cookies-without-same-site-must-be-secure			
	Temporarily unexpire M83 flags.			
	Temporarily unexpire flags that expired as of M83. These flags will be removed soon. – Mac, Windows, Linux, Chrome OS, Android			
	#temporary-unexpire-flags-m83			
	Temporarily unexpire M84 flags.			



← → C	flags		☆ D
	Q Search flags	Reset all	
	Experiments	85.0.4183.121	
	WARNING: EXPERIMENTAL FEATURES AHEAD! By enabling these fe compromise your security or privacy. Enabled features apply to all us	atures, you could lose browser data or sers of this browser.	
	Interested in cool new Chrome features? Try our beta channel.		
	Available	Unavailable	
	Temporarily unexpire M83 flags. Temporarily unexpire flags that expired as of M83. These flags will be rem Windows, Linux, Chrome OS, Android #temporary-unexpire-flags-m83	ioved soon. – Mac, Default 🗸	
	Temporarily unexpire M84 flags. Temporarily unexpire flags that expired as of M84. These flags will be rem Windows, Linux, Chrome OS, Android #temporary-unexpire-flags-m84	noved soon. – Mac, Default 🗸	
	Override software rendering list Overrides the bullt-in software rendering list and enables GPU-acceleration system configurations – Mae, Windows, Linux, Chrome OS, Android	n on unsupported Disabled V	
Your changes will take effect the nex	t time you relaunch Google Chrome.		Relaunch

Step 2: Copy and Paste URL **chrome://flags/#same-site-by-default-cookies** → SameSite by default cookies: Disable

Experiments	x +	- 0 ×
\leftarrow \rightarrow C \odot Chrome c	hrome://flags/#same-site-by-default-cookies	☆ 🕛 ፤
	Q Search flags	t all
	SameSite by default cookies Ireat cookies that don't specify a SameSite attribute as if they were SameSite=Lax. Sites must specify SameSite=None in order to enable third-party usage. – Mac, Windows, Linux, Chrome 0S, Android #same-site-by-default-cookies	
	Enable removing SameSite=None cookies Enables UI on chrome://settings/siteData to remove all third-party cookies and site data. – Mac, Windows, Linux, Chrome OS #enable-removing-all-third-party-cookies	<u> </u>
	Cookies without SameSite must be secure If enabled, cookies without SameSite restrictions must also be Secure. If a cookie without SameSite restrictions is set without the Secure attribute, It will be rejected. This flag only has an effect if "SameSite by default cookies" is also enabled. – Mac, Windows, Linux, Chrome OS, Android #cookies-without-same-site-must-be-secure	<u> </u>
	Allows a page to show popups during its unloading When the flag is set to enabled, pages are allowed to show popups while they are being unloaded. – Mac, Windows, Linux, Chrome OS, Android #allow-popups-during-page-unload	▼

Fig 3