

**दिल्ली विकास प्राधिकरण**  
**राष्ट्रमंडल खेल गांव खेल परिसर**  
**अक्षरधाम , दिल्ली-110092**

**एन आई क्यू नम्बर: 02/ सी डब्ल्यू जी वी एस सी / डीडीए /2021-22**

सचिव / राष्ट्रमंडल खेल गांव खेल परिसर, दिल्ली विकास प्राधिकरण , निम्लिखित कार्य के लिए अनुभवी एजेंसियों से ऑनलाइन निविदाएं आमंत्रित की जाती है ; ऑनलाइन निविदाएं 16.10.2021 को 03:00 बजे तक भेजी जा सकती है ; जो 18.10.2021 को र 11:00 बजे खोली जाएगी ; निविदा के नियम और शर्त तथा मर्तों का विवरण अगले पृष्ठ पर दिया है जो <https://eprocure.gov.in/eprocure/app> की वेबसाइट से लिया जा सकता है

क्रम संख्या	एन आई क्यू नम्बर & काम का नाम	अनुमानित लागत समय	निविदा प्रस्तुत करने की अंतिम तिथि और समय
			तकनीकी बोलियों को खोलने का दिनांक और समय
1.	<b>एन आई क्यू नम्बर:</b> <b>02/ सी डब्ल्यू जी वी एस सी / डीडीए /2021-22</b>  <b>कार्य का नाम :- विभिन्न खेल परिसर, डीडीए का रखरखाव,</b>  <b>उप प्रमुख :- सीडब्ल्यूजीवीएससी में क्रिकेट ग्राउंड और क्रिकेट ग्राउंड के टॉयलेट का काम।</b>	राशि. 1,93,645/-  <b>60 दिन</b>	<u>          </u> 16.10.2021 03.00 अपराह्न  <u>          </u> 18.10.2021 <u>          </u> 03.30 अपराह्न  पर

-Sd-

**ए . ई. (सिविल)/ सी डब्ल्यू जी वी एस सी**

**प्रति:-**

1. आयुक्त (खेल), दि. वि. प्रा.
2. डीडीए वेबसाइट पर अपलोड करने के लिए ई-मेल के माध्यम से आयुक्त (सिस्टम), दि. वि. प्रा.।
3. सीनियर एओ। (खेल), दि. वि. प्रा.
4. सीसी (कोऑर्डिन), स्पोर्ट्स विंग, दि. वि. प्रा.
5. संप्रदाय। डीडीए के ठेकेदार का कल्याण संघ विसास मीनार, आई.पी. एस्टेट, नई दिल्ली
6. संप्रदाय। डीडीए बिल्डर्स एसोसिएशन, ई -18, विकास कुटीर, नई दिल्ली
7. दिल्ली के ठेकेदार के कल्याण संघ (रजिस्ट्रेशन), 306, मस्जिद मांथ, एन डी एस, भाग -2, नई दिल्ली -11004 के महासचिव।
8. डीडीए स्पोर्ट्स कॉम्प्लेक्स के सभी सचिव अपने नोटिस बोर्ड पर प्रदर्शित करने के लिए।
9. सूचना बोर्ड

-Sd-

**ए . ई. (सिविल)/ सी डब्ल्यू जी वी एस सी**

**DELHI DEVELOPMENT AUTHORITY**  
**CWG VILLAGE SPORTS COMPLEX**  
Akshardham, Delhi – 110092

**NIQ NO. 02/CWGVSC/DDA/2021-22**

Online quotations are invited on behalf of Chairman, Delhi Development Authority for the following works at CWG Village Sports Complex. **The quotation shall be uploaded in two parts, namely, 'Part -I' containing Technical Bid and 'Part – II' comprising 'Financial Bid'. The bid not uploaded in accordance with the prescribed manner will not be accounted for at all.** Only those agencies/ Firm/ Person having completed similar work (**Three or more similar nature of works each costing not less than 40% of the estimated cost put to quotation, or two similar works costing each not less than 60% of the estimated cost put to quotation, or one similar work costing not less than 80% of estimated cost put to quotation**) during the last seven years in Government Department or Public Sector undertaking with annual turnover more than 30% of the estimated cost in each year during the immediate last three consecutive financial year ending March 2020 duly certified by Chartered Accountant having valid UDIN are entitled to apply. A proof thereof should be upload with the Technical Bid. The quotationer should be registered with the Department of GST, GNCTD and furnish a copy of registration with the tender.

Name of Work:- Maintenance of Various Sports Complex , DDA.

Sub-Head:- Minor Repair & maintenance of toilet & other misc. works at Cricket Ground at CWGVSC

Estimated Cost :₹ 1,93,645/-

EMD :Declaration as per Annexure "I"

**(SCHEDULE OF QUANTITY ATTACHED)**

Quotation documents can be obtained / download on the e-tendering portal i.e. **website <https://eprocure.gov.in/eprocure/app> or [www.dda.org.in](http://www.dda.org.in) upto 16.10.2021 (03:00 pm) (last date of sale) and Opening of technical bid on 18.10.2021 (03:30 pm). Earnest money as Declaration as per Annexure "I".**

**TECHNICAL BID (FIRST COVER)**

The quotations are required to furnish following documents in technical bid:-

- i. Scanned copy of (EMD)Declaration as per Annexure "I".
- ii. Scanned copy of PAN No.
- iii. Scanned copy of GST Certificate.
- iv. Scanned copy of Completion Certificate for similar works as per NIQ.
- v. Scanned copy of Proof of requisite fee deposited with Contractors Registration Board (CRB) of DDA.
- vi. Scanned Copy of turnover of last three consecutive financial year ending March 2020 duly certified by C.A. having valid UDIN.

**TERMS & CONDITIONS:-**

1. The supply/work shall be done as per specifications.
2. Quoted rate should be inclusive of all taxes / levies including GST, payable under respective states, DDA will not entertain any claim, whatsoever in this regard.
3. The payment will be made after entire satisfaction of RE(CWGVSC)/Secretary/CWGVSC, DDA.
4. No T & P will be issued by Department.
5. No advance payment will be made to the agency.
6. Commissioner (Sports) reserves the right to accept or reject any bid / quotation without assigning any reason.
7. Commissioner (Sports) reserves the right to debar the concerned agency if the work is not completed in stipulated time as work is found to be substandard.
8. Conditional quotation will not be accepted.
9. Necessary statutory deductions as applicable will be made.
10. 10% Security Deposit will be deducted from the tender amount.
11. No minor shall be engaged at site.
12. Nothing extra will be paid to the agency by the department.
13. Validity of Quotation is 60 days from the date of opening.
14. Debarred agency / or individual shall not be permitted to participate in the tendering process. Agency should be reputed and does not have any tarnished reputation.
15. Any individual who has been debarred is not permitted to take part in any negotiations or represent an agency even if he holds a power of attorney on the agencies behalf. Any agency engaging debarred persons is also liable to debarring.
16. The experience of agencies should be taken into account rather than individuals incorporated with the agency, which does not include proprietorship.
17. The quantities of items in schedule are tentative which may change depending upon site conditions.
18. If the entire work is not done within the stipulated time mentioned in work order, it will be sole discretion of the Secretary/CWGVSC to accept the work of item on such terms as the Secretary deemed fit and proper or to cancel the supply/work order/ to stop any payment against the work / to forfeit the earnest money or to debar the concerned

agency. The decision of the Competent Authority in this behalf shall be final and not to be called in question before any Forum.

19. The contractor will be fully responsible during execution of work. If any loss/ theft/ damage caused at site/surrounding, the same shall be made good with in quoted rates or recovered from the agency/shall be made good at agency's risk and cost.
20. If any agency submits a faulty or incomplete tender for the first time, 20% of the earnest money so deposited shall be forfeited. However, if the agency commits fault or submits incomplete tender again in the subsequent tenders and the competent Authority finds that the default has been willful, negligent or malafide in its intent, the earnest money shall be forfeited absolutely without assigning any reason and the tenderer shall not be allowed to participate in future tendering.
21. In case the rates quoted by the bidders are same, then in order to arrive at a decision, a draw of lots shall be carried out by a Committee comprising of Secretary of the Complex, Sr. AO (Sports) and AAO of the complex.
22. The experience of agencies should be taken into rather than individuals incorporated with the agency, which does not include proprietorship.
23. Based on real time feedback of members and administrative staff of DDA as and when a deficiency of service is noticed the same will be intimated to the agency/ contractor for rectification. In case there is no improvement/ rectification within prescribed period from the time of intimation proportionate deduction, as approved by the Competent Authority, shall be made from the agency/ contractor.
24. The supply/work shall be completed within **60 days** from the date of issue of the order.

-SD-  
**RE(CWGVSC)**

F. No. F-8(66)/CWGVSC/DDA/2021-22/212

dated 08.10.2021

Copy to:-

1. Commissioner (Sports), DDA-For information please.
2. Director (System)/DDA through E-Mail. ddatender@dda.org.in.
3. Sr. A.O. (Sports), DDA.
4. All Secretaries of the DDA Sports Complexes.
5. DDA Contractor association E-18 Vikaskuteer, New Delhi.
6. DDA Contractor Welfare Association, Room no.12, Barrack no.1, Block-A, VikasKuteer, New Delhi.
7. Delhi Contractor Welfare Association (C), 306, Masjid Moth, NDSE, Part-II, New Delhi.
8. AAO / CWGVSC.
9. Notice Board.

-SD-  
**RE(CWGVSC)**

**SCHEDULE OF QUANTITY**

Name of Work:- Maintenance of Various Sports Complex , DDA.

Sub-Head:- Minor Repair & maintenance of toilet & other misc. works at Cricket Ground at CWGVSC

S.No.	Description	Qty	Unit	Rate	Amount
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	40	sqm		
2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.				
	(a) 20 mm nominal dia Pipes	80	m		
	(b) 40 mm nominal dia Pipes	15	m		
3	30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a u PVC hollow section of size 60x30 mm and wall thickness 2 mm ( $\pm 0.2$ mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm ( $\pm 0.1$ mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm ( $\pm 0.2$ mm) wall thickness fixed to the shutter styles by means of plastic/ galvanised M.S. 'U' cleats. SUB HEAD : 9.0 WOOD AND P.V.C. WORK 200 Code Description Unit Rate No. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm ( $\pm 0.1$ mm) wall thickness . The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge.	4.75	sqm		
4	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/ litre and viscosity 70-160 cps. Over the primer coat the layer of membrane shall be laid using Butane Torch and sealing all joints etc, and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23°C as 650/ 450N/5cm. Tear strength in longitudinal and transverse direction as 300/ 250N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane : 3mm thick	52	sqm		

5	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- (Part I) :2011 (Board with BIS certification marks)	40	sqm		
6	12 mm cement plaster: 1:4 (1 cement : 4 fine sand)	80	sqm		
7	Finishing walls with textured exterior paint of required shade :Old work (Two or more coats on existing cement paint surface applied @ 3.28 ltr/10	120	sqm		
8	13.26 Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	100	sqm		
9	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coats	40	sqm		
10	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	38	sqm		
			Total Amount		

RE(CWGVSC)

**Performa for Earnest Money Deposit Declaration**

Whereas, I/We..... (name of agency).....have submitted bids for .....(name of work).....

I/We hereby submit following declaration in lieu of submitting earnest money deposit.

If after the opening of tender, I/we withdraw or modify my/our bid during the period of validity of tender (including extended validity of tender) specified in the tender documents.

Or

If, after award of work, I/we fail to sign the contract, or to submit performance guarantee before the deadline defined in the tender documents,

I/we shall be suspended for one year and shall not be eligible to bid for Delhi Development Authority tenders from date of issue of suspension order.

Signature of the Contractor(s)